



FIBER MANAGEMENT SYSTEM



Specifications

- ? Rack/wall mountable
- ? Front/Back mounting option available
- ? Arrangement for fixing stiffing Wire
- ? Proper fixing arrangement for hard fiber

- ? Clamping provision available on back side for more rigidity
- ? Provision for Cables entry :
 - > Back side (Round Holes 34 mm Diameter- 2 nos.)
 - > Back side (Oval hole of 120 x 60 mm & 120 x30mm depending upon the capacity of fiber)
- ? Material used : Cold Rolled Carbon (CRC) with Thickness varying from 1.2mm to 2.0 mm
- ? cabinet Painting : Durable textured polyester Powder coating (Off white) with choice of colour (subject to availability)
- ? Fixing & Earthing : Earth grounding point/stud at the side of the cabinet.
Provision for fixing on the front & back side



Dimensions

S.No	Description	Part code	Height	Width	Depth	Cover
1	6F FMS	RI/FMS/001	1U	485mm	300mm	Single/Lockable
2	12F FMS	RI/FMS/002	1U	485mm	300mm	Single/Lockable
3	18F FMS	RI/FMS/003	1U	485mm	300mm	Single/Lockable
4	24F FMS	RI/FMS/004	1U	485mm	300mm	Single/Lockable
5	48F FMS	RI/FMS/005	2U	485mm	300mm	Single/Lockable
6	72F FMS	RI/FMS/006	3U	485mm	300mm	Single/Lockable

Mounting

? Standard 19" mounting with 2.0 mm thickness (1 pair)

Shipment

? Factory assembled under stringent quality control minimizing installation time.

Packing

? Packed in corrugated box with proper shock preventive for adapters & other breakable items


BOM

S.No	Description	Adapters	Pigtails	Splicing tray	SPS	Hoseclamp
1	6F	6 nos	6 nos	01 nos	6 nos	01 nos
2	12F	12 Nos	12 Nos	01 nos	12 Nos	01 nos
3	18F	18 Nos	18 Nos	02 nos	18 Nos	02 nos
4	24F	24 nos	24 nos	02 nos	24 nos	02 nos
5	48F	48 nos	48 nos	04 nos	48 nos	04 nos
6	72F	72 nos	72 nos	06 nos	72 nos	06 nos

Varoius types of FMS depending upon the connector types are as under

S.No	Description	FCPC	SCPC	SCAPC	LC	E2000
1	6F	Yes	Yes	Yes	Yes	Yes
2	12F	Yes	Yes	Yes	Yes	Yes
3	18F	Yes	Yes	Yes	Yes	Yes
4	24F	Yes	Yes	Yes	Yes	Yes
5	48F	Yes	Yes	Yes	Yes	Yes
6	72F	Yes	Yes	Yes	Yes	Yes





Office : Plot no 1, Lane no 9, Kadipur ind. area, Gurgaon-122001, Haryana- 122 001 India
Works : Plot no 1, Lane no 9, Kadipur ind. area, Gurgaon-122001, Haryana- 122 001 India
Tele fax : +91-124-2212139
Tel : +91-124-2212139, 6451566
Hand phone : +91-9910049045 , 9212137283
email : Rajbir@rohaninfotech.com , info@rohaninfotech.com
web : www.rohaninfo.com , www.rohaninfotech.com ,